L Number	Hits	Search Text	DB	Time stamp
-	988920	network WAN LAN MAN internet WWW	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 10:24
-	1854	(network WAN LAN MAN internet WWW) and (packet data near2 packet datagram) near5 (compress\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 08:59
-	110	(network WAN LAN MAN internet WWW) and (packet data near2 packet datagram) near5 (compress\$6) near5 (encrypt\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 09:04
-	13	((network WAN LAN MAN internet WWW) and (packet data near2 packet datagram) near5 (compress\$6) near5 (encrypt\$7)) and data near5 (string)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 08:52
· <u>-</u>	16	((network WAN LAN MAN internet WWW) and (packet data near2 packet datagram) near5 (compress\$6) near5 (encrypt\$7)) and data near5 (text)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 08:52
-	3	(((network WAN LAN MAN internet WWW) and (packet data near2 packet datagram) near5 (compress\$6) near5 (encrypt\$7)) and data near5 (string)) and (((network WAN LAN MAN internet WWW) and (packet data near2 packet datagram) near5 (compress\$6) near5 (encrypt\$7)) and data near5 (text))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 08:57
-	110	((network WAN LAN MAN internet WWW) and (packet data near2 packet datagram) near5 (compress\$6) near5 (encrypt\$7)) and data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 08:53
-	6	(network WAN LAN MAN internet WWW) and (packet data near2 packet datagram) near5 (compress\$6) near5 (encrypt\$7).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 08:53
-	12	((network WAN LAN MAN internet WWW) and (packet data near2 packet datagram) near5 (compress\$6) near5 (encrypt\$7)) and IPsec	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 08:55
-	2	((network WAN LAN MAN internet WWW) and (packet data near2 packet datagram) near5 (compress\$6) near5 (encrypt\$7)) and IKE	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 08:57
-	4658	(network WAN LAN MAN internet WWW) and (packet data near2 packet datagram) near5 (compress\$6 encod\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 08:59

-	110	((network WAN LAN MAN internet WWW) and	USPAT;	2004/03/11
		(packet data near2 packet datagram) near5	US-PGPUB;	08:59
1		(compress\$6 encod\$6)) and (packet data near2	EPO; JPO;	
		packet datagram) near5 (compress\$6) near5	DERWENT;	
		(encrypt\$7)	IBM_TDB	
-	164	((network WAN LAN MAN internet WWW) and	USPAT;	2004/03/11
		(packet data near2 packet datagram) near5	US-PGPUB;	09:00
		(compress\$6 encod\$6)) and (packet data near2	EPO; JPO;	
1		packet datagram) near5 (compress\$6 encod\$7)	DERWENT;	
		near5 (encrypt\$7)	IBM_TDB	
-	17	, == ,	USPAT;	2004/03/11
	, i	(packet data near2 packet datagram) near5	US-PGPUB;	09:00
		(compress\$6 encod\$6)) and (packet data near2	EPO; JPO;	05.00
		packet datagram) near5 (compress\$6 encod\$7)	DERWENT;	
		near5 (encrypt\$7)) and IPsec	IBM_TDB	
l _	5	((((network WAN LAN MAN internet WWW) and	USPAT;	2004/03/11
		(metwork wan ban man internet www) and (packet data near2 packet datagram) near5	US-PGPUB;	09:00
]				09:00
1		(compress\$6 encod\$6)) and (packet data near2	EPO; JPO;	
1		packet datagram) near5 (compress\$6 encod\$7)	DERWENT;	
		near5 (encrypt\$7)) and IPsec) not (((network WAN	IBM_TDB	
	İ	LAN MAN internet WWW) and (packet data near2		
		packet datagram) near5 (compress\$6) near5	ł	
		(encrypt\$7)) and IPsec)		
-	265	(network WAN LAN MAN internet WWW) and	USPAT;	2004/03/11
1		(packet data near2 packet datagram) near5	US-PGPUB;	09:05
1		(compress\$6 compact\$7) near5 (encrypt\$7	EPO; JPO;	
]]	encod\$6)	DERWENT;	
			IBM_TDB	
-	4	(network WAN LAN MAN internet WWW) and	USPAT;	2004/03/11
		(packet data near2 packet datagram) near5	US-PGPUB;	09:06
		(compress\$6 compact\$7) near5 (encrypt\$7	EPO; JPO;	
		encod\$6).ti.	DERWENT;	
			IBM_TDB	
-	20	(network WAN LAN MAN internet WWW) and	USPAT;	2004/03/11
		(packet data near2 packet datagram) near5	US-PGPUB;	09:27
<u> </u>	1	(compress\$6 compact\$7) near5 (encrypt\$7	EPO; JPO;	
		encod\$6).ab.	DERWENT;	
			IBM_TDB	
-	20	(network WAN LAN MAN internet WWW) and	USPAT;	2004/03/11
1	1	(packet data near2 packet datagram) near5	US-PGPUB;	09:28
		(compress\$6 compact\$7 select\$6 near2	EPO; JPO;	
,	1	compress\$6) near5 (encrypt\$7 encod\$6).ab.	DERWENT;	
			IBM_TDB	
-	265	(network WAN LAN MAN internet WWW) and	USPAT;	2004/03/11
		(packet data near2 packet datagram) near5	US-PGPUB;	09:30
1	1	(compress\$6 compact\$7 select\$6 near2	EPO; JPO;	
		compress\$6) near5 (encrypt\$7 encod\$6)	DERWENT;	
1	1		IBM_TDB	
-	1062700	network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network"	US-PGPUB;	09:29
-	1	F	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u>-</u>	. 266	(network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
-	200	1 '	1	⁻ 2004/03/11 14:19
	1	"virtual private network") and (packet data near2	US-PGPUB;	17:17
·		packet datagram) near5 (compress\$6 compact\$7	EPO; JPO;	
1		select\$6 near2 compress\$6) near5 (encrypt\$7	DERWENT;	
L	L	encod\$6)	IBM_TDB	

-	266	(network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and (packet data near2	US-PGPUB;	09:51
		packet datagram) near5 (compress\$6 compact\$7	EPO; JPO;	
		select\$6 near2 compress\$6 (compress\$6 near4	DERWENT;	
		(bypass or skip))) near5 (encrypt\$7 encod\$6)	IBM_TDB	
-	4	(network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and (packet data near2	US-PGPUB;	09:31
		packet datagram) near5 (compress\$6 compact\$7	EPO; JPO;	
		select\$6 near2 compress\$6 (compress\$6 near4	DERWENT;	
		(bypass or skip))) near5 (encrypt\$7 encod\$6).ti.	IBM_TDB	
-	1193	(network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		virtual private network") and IPSec	US-PGPUB;	09:32
		1	EPO; JPO;	,
			DERWENT;	
		•	IBM_TDB	
_	243	((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and IPSec) and IKE	US-PGPUB;	09:32
		"internet key exchange"	EPO; JPO;	55.52
		y	DERWENT;	
			IBM_TDB	·
-	199	((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and IPSec) and (IKE	US-PGPUB;	09:52
		"internet key exchange")	EPO; JPO;	55.52
			DERWENT;	
			IBM_TDB	
-	141	(((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and IPSec) and (IKE	US-PGPUB;	09:33
		"internet key exchange")) and gateway	EPO; JPO;	
		3 3 77	DERWENT;	
			IBM_TDB	
_	48	((((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
	:	"virtual private network") and IPSec) and (IKE	US-PGPUB;	09:33
		"internet key exchange")) and gateway) and text	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	19	(((((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and IPSec) and (IKE	US-PGPUB;	09:39
		"internet key exchange")) and gateway) and text)	EPO; JPO;	
		and string	DERWENT;	
			IBM_TDB	
-	179	select\$7 near5 (packet datagram data near2	USPAT;	2004/03/11
		packet) near5 (compress\$6 compact\$7)	US-PGPUB;	09:47
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11	select\$7 near5 (packet datagram data near2	USPAT;	2004/03/11
		packet) near5 (compress\$6 compact\$7).ti.	US-PGPUB;	09:42
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	20020078242.URPN.	USPAT	2004/03/11
				09:41
-	0	20020078242.URPN.	USPAT	2004/03/11
				09:41
-	.41	select\$7 near5 (packet datagram data near2	USPAT;	2004/03/11
		packet) near5 (compress\$6 compact\$7).ab.	US-PGPUB;	09:42
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

	,-			
-	42	(select\$7 near5 (packet datagram data near2	USPAT;	2004/03/11
		packet) near5 (compress\$6 compact\$7).ab.)	US-PGPUB;	09:43
		not32	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	38	(select\$7 near5 (packet datagram data near2	USPAT;	2004/03/11
		packet) near5 (compress\$6 compact\$7).ab.) not	US-PGPUB;	09:43
1		(select\$7 near5 (packet datagram data near2	EPO; JPO;	
		packet) near5 (compress\$6 compact\$7).ti.)	DERWENT;	
		process y account (conseptions of the process y from)	IBM_TDB	
l <u>-</u>	3	(select\$7 near5 (packet datagram data near2	USPAT;	2004/03/11
		packet) near5 (compress\$6 compact\$7)) and	US-PGPUB;	09:47
	ļ	IPsec	EPO; JPO;	05.17
		n see	DERWENT;	
			IBM_TDB	
1_	404	(network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
	104	"virtual private network") and (packet data near2	US-PGPUB;	09:50
		- , ,-	1	09.50
		packet datagram) near5 (compress\$6 compact\$7 select\$6 near2 compress\$6 encapsul\$7) near5	EPO; JPO; DERWENT;	
	404	(encrypt\$7 encod\$6)	IBM_TDB	0004/02/11
-	1 404	(network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and (packet data near2	US-PGPUB;	09:52
		packet datagram) near5 (compress\$6 compact\$7	EPO; JPO;	
	1	select\$6 near2 compress\$6 encapsu\$8	DERWENT;	
		(compress\$6 near4 (bypass or skip))) near5	IBM_TDB	
		(encrypt\$7 encod\$6)		0004400444
-	4	(network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and (packet data near2	US-PGPUB;	09:52
		packet datagram) near5 (compress\$6 compact\$7	EPO; JPO;	
		select\$6 near2 compress\$6 encapsu\$8	DERWENT;	
		(compress\$6 near4 (bypass or skip))) near5	IBM_TDB	
		(encrypt\$7 encod\$6).ti.	l	
-	31	((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and (packet data near2	US-PGPUB;	09:52
		packet datagram) near5 (compress\$6 compact\$7	EPO; JPO;	:
		select\$6 near2 compress\$6 encapsu\$8	DERWENT;	
		(compress\$6 near4 (bypass or skip))) near5	IBM_TDB	
		(encrypt\$7 encod\$6)) and IKE		
-	31	((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and (packet data near2	US-PGPUB;	09:52
		packet datagram) near5 (compress\$6 compact\$7	EPO; JPO;	
		select\$6 near2 compress\$6 encapsu\$8	DERWENT;	
1		(compress\$6 near4 (bypass or skip))) near5	IBM_TDB	
		(encrypt\$7 encod\$6)) and (IKE "internet key		
		exchange")	1	
-	29	(((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and (packet data near2	US-PGPUB;	09:53
		packet datagram) near5 (compress\$6 compact\$7	EPO; JPO;	
		select\$6 near2 compress\$6 encapsu\$8	DERWENT;	
]	(compress\$6 near4 (bypass or skip))) near5	IBM_TDB	
}		(encrypt\$7 encod\$6)) and (IKE "internet key		
L	L	exchange")) and IPsec	<u></u>	

	T		,	
-	29	((((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and (packet data near2	US-PGPUB;	09:53
		packet datagram) near5 (compress\$6 compact\$7	EPO; JPO;	
1		select\$6 near2 compress\$6 encapsu\$8	DERWENT;	
		(compress\$6 near4 (bypass or skip))) near5	IBM_TDB	
		(encrypt\$7 encod\$6)) and (IKE "internet key		
		exchange")) and IPsec) not ((select\$7 near5		
		(packet datagram data near2 packet) near5		
		(compress\$6 compact\$7)) and IPsec)		
-	0	6668282.URPN.	USPAT	2004/03/11
	050	1 4 1 4 7		09:57
-	952	packet adj compress\$7	USPAT;	2004/03/11
			US-PGPUB;	13:52
			EPO; JPO;	
			DERWENT;	
		φσ. 4.	IBM_TDB	0004/00/
-	57	packet adj compress\$7.ti.	USPAT;	2004/03/11
			US-PGPUB;	14:18
			EPO; JPO;	
			DERWENT;	
	1	noolrot adi aammaaa¢7 noon5 timaayut	IBM_TDB	0004/02/11
-	1	packet adj compress\$7 near5 timeout	USPAT;	2004/03/11 14:19
			US-PGPUB;	14:19
-			EPO; JPO; DERWENT;	
			IBM_TDB	
1_	1562	(network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
	1302	"virtual private network") and (packet data near2	US-PGPUB;	14:20
		packet datagram) same (compress\$6 compact\$7	EPO; JPO;	14.20
		select\$6 near2 compress\$6) same (encrypt\$7	DERWENT;	
		encod\$6)	IBM_TDB	
_	264	((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and (packet data near2	US-PGPUB;	14:23
		packet datagram) same (compress\$6 compact\$7	EPO; JPO;	
		select\$6 near2 compress\$6) same (encrypt\$7	DERWENT;	
		encod\$6)) and (timeout time adj out time near2	IBM_TDB	
		out)		
-	280	((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and (packet data near2	US-PGPUB;	14:23
1		packet datagram) same (compress\$6 compact\$7	EPO; JPO;	
		select\$6 near2 compress\$6) same (encrypt\$7	DERWENT;	
		encod\$6)) and (timeout time adj out time near2	IBM_TDB	
		out)		
-	228	(((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and (packet data near2	US-PGPUB;	14:24
		packet datagram) same (compress\$6 compact\$7	EPO; JPO;	
		select\$6 near2 compress\$6) same (encrypt\$7	DERWENT;	
		encod\$6)) and (timeout time adj out time near2	IBM_TDB	
		out)) and (header marker)		
-	277	(((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and (packet data near2	US-PGPUB;	14:24
		packet datagram) same (compress\$6 compact\$7	EPO; JPO;	
		select\$6 near2 compress\$6) same (encrypt\$7	DERWENT;	
		encod\$6)) and (timeout time adj out time near2	IBM_TDB	
L	l	out)) and (first marker)		

-	6	(((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
		"virtual private network") and (packet data near2	US-PGPUB;	14:24
		packet datagram) same (compress\$6 compact\$7	EPO; JPO;	
		select\$6 near2 compress\$6) same (encrypt\$7	DERWENT;	
		encod\$6)) and (timeout time adj out time near2	IBM_TDB	
		out)) and (first near5 marker)		
_	125	((((network WAN LAN MAN internet WWW VPN	USPAT;	2004/03/11
`	120	"virtual private network") and (packet data near2	US-PGPUB;	15:21
			1	15:21
		packet datagram) same (compress\$6 compact\$7	EPO; JPO;	
	;	select\$6 near2 compress\$6) same (encrypt\$7	DERWENT;	
		encod\$6)) and (timeout time adj out time near2	IBM_TDB	
	5 0	out)) and (header marker)) and (string text)		
-	70	5293379.URPN.	USPAT	2004/03/11
				14:26
-	419	709/247.ccls.	USPAT;	2004/03/11
			US-PGPUB;	15:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	168	709/247.ccls. and packet	USPAT;	2004/03/11
			US-PGPUB;	15:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	160	709/247.ccls. and (packet datagram block data	USPAT;	2004/03/11
		adj packet) near5 compres\$8	US-PGPUB;	15:22
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
1_	32	709/247.ccls. and (packet datagram block data	USPAT;	2004/03/11
	02	adj packet) near5 compres\$8.ab.	US-PGPUB;	15:22
		adj packetj nearo compresijo.ab.	EPO; JPO;	15.22
			DERWENT;	
			IBM_TDB	
	8228	(bypass or skip or abstain avert circumlocute	USPAT;	2004/03/19
· ·	0220		US-PGPUB;	
1		circumvent deflect desist) and (packet or	1	10:27
		datagram)	EPO; JPO;	
]		•	DERWENT;	
		(forman an elektronical and the state of the	IBM_TDB	0004/00/10
-	9	(bypass or skip or abstain avert circumlocute	USPAT;	2004/03/19
		circumvent deflect desist) near5 (packet or	US-PGPUB;	10:30
		datagram) near5 (compression abridging	EPO; JPO;	
		condensation condensing constriction recession	DERWENT;	
		reducing reduction shrinkage shrinking	IBM_TDB	
	_	shriveling)		
-	8785	packet same compress\$8	USPAT;	2004/10/25
			US-PGPUB;	15:14
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	689	packet adj compress\$8	USPAT;	2004/10/25
			US-PGPUB;	15:18
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	102	(packet adj compress\$8) and encrypt\$8	USPAT;	2004/10/25
			US-PGPUB;	15:17
	-		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	<u> </u>		מטיי_ייייין	

	· · · · · · · · · · · · · · · · · · ·			
-	11	((packet adj compress\$8) and encrypt\$8) and time	USPAT;	2004/10/25
		adj3 out	US-PGPUB;	15:17
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	İ
İ _	1536	(packet same compress\$8) and encrypt\$8	USPAT;	2004/10/25
	1000	(packet same compression) and energy hapo	US-PGPUB;	15:17
1				15:17
			EPO; JPO;	
			DERWENT;	
		L	IBM_TDB	
-	224	((packet same compress\$8) and encrypt\$8) and	USPAT;	2004/10/25
		time adj3 out	US-PGPUB;	15:17
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	224	(((packet same compress\$8) and encrypt\$8) and	USPAT;	2004/10/25
		time adj3 out) and compress\$8	US-PGPUB;	15:18
			EPO; JPO;	10.10
			DERWENT;	
			,	
	50	packet adj compress\$8.ti.	IBM_TDB	0004/10/05
1 -	30	packet auj compressão.u.	USPAT;	2004/10/25
			US-PGPUB;	15:18
			EPO; JPO;	
		·	DERWENT;	
		,	IBM_TDB	
-	0	20040103277.URPN.	USPAT	2004/10/25
				15:20
-	187765	packet	USPAT;	2004/10/26
			US-PGPUB;	14:09
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	106442	packet and network	USPAT;	2004/10/26
	100112	paonot and notwork	US-PGPUB;	14:09
İ	1		EPO; JPO;	11.05
	İ			
	ì		DERWENT;	
	10070	(1-43-43)	IBM_TDB	
-	13273	(packet and network) and compress\$8 same data	USPAT;	2004/10/26
			US-PGPUB;	14:09
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2984	(packet and network) and compress\$8 with data	USPAT;	2004/10/26
		with packet	US-PGPUB;	14:10
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	2589	(packet and network) and compress\$8 near10	USPAT;	2004/10/26
	=====	data near10 packet	US-PGPUB;	14:10
1			EPO; JPO;	- ··
			DERWENT;	
			l	
	176	((neelect and networls) and same	IBM_TDB	2004/10/06
-	476	((packet and network) and compress\$8 near10	USPAT;	2004/10/26
	1	data near10 packet) and string	US-PGPUB;	14:11
			EPO; JPO;	
			DERWENT;	
L	<u> </u>	<u> </u>	IBM_TDB	

		T		 -
-	294	(((packet and network) and compress\$8 near10	USPAT;	2004/10/26
		data near10 packet) and string) and text	US-PGPUB;	14:12
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	76	((((packet and network) and compress\$8 near10	USPAT;	2004/10/26
		data near10 packet) and string) and text) and	US-PGPUB;	15:19
		packet adj compress\$8	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	76	5293379.URPN.	USPAT	2004/10/26
				14:16
-	3704	(packet datagram) near10 (compress encode)	USPAT;	2004/10/27
			US-PGPUB;	14:06
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	61008	(datagram packet data) adj3 (compress\$8)	USPAT;	2004/10/27
			US-PGPUB;	14:44
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	20214	((datagram packet data) adj3 (compress\$8)) and	USPAT;	2004/10/27
		network	US-PGPUB;	14:45
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3494	(((datagram packet data) adj3 (compress\$8)) and	USPAT;	2004/10/27
· ·		network) and (datagram packet data) same	US-PGPUB;	14:08
		encry\$8	EPO; JPO;	14.00
			DERWENT;	
			IBM_TDB	
_	3	((((datagram packet data) adj3 (compress\$8)) and	USPAT;	2004/10/27
		network) and (datagram packet data) same	US-PGPUB;	14:11
		encry\$8) and compress\$8 near10 (timeout	EPO; JPO;	1 1 1 1
		time-out time adj2 out)	DERWENT;	
1		out will out	IBM_TDB	
1_	0	20040114634.URPN.	USPAT	2004/10/27
1		100.012.100.11014.111		14:09
1.	230	370/521.ccls.	USPAT;	2004/10/27
1	250		US-PGPUB;	14:40
1	1		EPO; JPO;	1.10
			DERWENT;	
			IBM_TDB	
-	15	370/521.ccls. and encrypt\$7	USPAT;	2004/10/27
		or of our roots, that offers pupi	US-PGPUB;	14:45
			EPO; JPO;	11,70
1			DERWENT;	
1			IBM_TDB	
1_	0	370/25.ccls.		2004/10/27
_		0/0/20.005.	USPAT;	2004/10/27
			US-PGPUB;	14:40
1	1		EPO; JPO;	
1			DERWENT;	
	1041	270/252 colo	IBM_TDB	0004/10/07
-	1941	370/252.ccls.	USPAT;	2004/10/27
			US-PGPUB;	14:40
			EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM_TDB	L

			1	,
-	133	370/252.ccls. and encrypt\$7	USPAT;	2004/10/27
1			US-PGPUB;	14:41
	İ		EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	133	(370/252.ccls. and encrypt\$7) and (datagram	USPAT;	2004/10/27
		packet data)	US-PGPUB;	14:41
		F	EPO; JPO;	
			DERWENT;	
			1	
	100	(070 (050 1) 1 (477) 1 (1	IBM_TDB	0004/10/07
	· 108	(370/252.ccls. and encrypt\$7) and (datagram	USPAT;	2004/10/27
		packet)	US-PGPUB;	14:41
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	16	((370/252.ccls. and encrypt\$7) and (datagram	USPAT;	2004/11/01
		packet data)) and (datagram packet data) adj3	US-PGPUB;	10:51
		(compress\$8)	EPO; JPO;	-3.5.
		(DERWENT;	
1			1	.
	170		IBM_TDB	0004/10/05
-	470	select near5 (datagram packet data) adj3	USPAT;	2004/10/27
1		(compress\$8)	US-PGPUB;	14:44
1			EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
_	1906	select\$8 near5 (datagram packet data) adj3	USPAT;	2004/10/27
		(compress\$8)	US-PGPUB;	14:44
		(comproser of	EPO; JPO;	•
			DERWENT;	
			I -	
	704	(-1-400 F (1-4 1-4 1-4) 1/2	IBM_TDB	0004/10/07
-	704	(select\$8 near5 (datagram packet data) adj3	USPAT;	2004/10/27
		(compress\$8)) and network	US-PGPUB;	14:45
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	94	((select\$8 near5 (datagram packet data) adj3	USPAT;	2004/11/01
		(compress\$8)) and network) and encrypt\$7	US-PGPUB;	10:50
		`	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	107	Avoid\$8 same compres\$9 same encryp\$8	USPAT;	2004/11/01
_	10/	nvoideo same compreses same encrypeo		
		·	US-PGPUB;	10:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14	Avoid\$8 near10 compres\$9 near10 encryp\$8	USPAT;	2004/11/01
1.			US-PGPUB;	14:23
			EPO; JPO;	
}		i '	DERWENT;	
			IBM_TDB	
_	5	compressing near10 (refrain\$6 avoid\$8) near10	USPAT;	2004/11/01
_		compressing near 10 (terrampo avoidos) near 10 compressing near 10 (data adj4 packet or	US-PGPUB;	14:25
				14:25
		datagram or packet)	EPO; JPO;	
1			DERWENT;	
	<u> </u>		IBM_TDB	